	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	IS&R 2		("5831853").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 07:28		
2	BRS	5293	702/33-36,41,42,43,44,43,105,108,113-115,123,119,182-185,188,189,179,181.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:56		
3	BRS	1399	702/for.103,for.104,for.123-for.126,for.130,for.134-for.136.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:57		
4	BRS	475	706/51-53.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:57		
5	BRS	154	710/34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:57		
6	BRS	898	700/109,174,28.31,34,38,103,108.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:58		

02/25/2004, EAST Version: 1.4.1

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
7	BRS	372	714/$.ccls. and computer and finite adj (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 07:50		
8	BRS	4	714/$.ccls. and computer with error with analy$4 and finite adj (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 07:57		
9	BRS	1	714/$.ccls. and computer with error and finite adj (state or status) and sensor and actuator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 07:59		
10	BRS	0	714/$.ccls. and computer with error and finite adj (state or status) with description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:00		
11	BRS	21	714/$.ccls. and computer and finite adj (state or status) with description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:36		
12	BRS	616	714/9,37,49.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:03		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
13	BRS	1	714/$.ccls. and computer and finite adj (state or status) with description and sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:06		
14	BRS	6	714/$.ccls. and computer with (error or fault) and finite adj (state or status) with description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:07		
15	BRS	1	computer with (error or fault) and finite adj (state or status) with description and sensor$1 with actuator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:09		
16	BRS	3	computer and (error or fault) with sensor$1 with actuator$1 and finite adj (state or status) with description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:05		
17	BRS	3	computer and (error$1 or fault$) with (detector$1 or sensor$1) with actuator$1 and finite adj (state or status) with description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:12		
18	BRS	3	computer$3 and (error$1 or fault$) with (detector$1 or sensor$1) with actuator$1 and finite adj (state or status) with IBM_TDB description	USPAT; US-PGPUB; EPO; JPO; DERWENT; 2003/12/16 08:12			

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
19 BRS	4	computer$3 and (error$1 or fault$) with (detector$1 or sensor$1) with actuator$1 and finite adj (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:17		
20 BRS	8	computer$3 and (error$1 or fault$ or failure$1) with (detector$1 or sensor$1) with actuator$1 and finite adj (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:13		
21 BRS	158	computer$3 and (error$1 or fault$) with (detector$1 or sensor$1) and finite adj (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:14		
22 BRS	192	computer$3 and (error$1 or fault$ or failure) with (detector$1 or sensor$1) and finite adj (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:14		
23 BRS	173	computer$3 and (error$1 or fault$ or failure) with (detector$1 or sensor$1) and finite adj (state or status) and compar$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:15		
24 BRS	5	computer$3 and (error$1 or fault$ or failure) with (detector$1 or sensor$1) with analy$4 and finite adj (state or status) and compar$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:15		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
25 BRS	13	computer$4 with (error$1 or fault$) with (detector$1 or sensor$1) and finite adj (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:19		
26 BRS	19	computer$4 with (error$1 or fault$ or failure) with (detector$1 or sensor$1) and finite adj (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:30		
27 BRS	192	computer$4 and (error$1 or fault$ or failure) with (detector$1 or sensor$1) and finite adj (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:37		
28 BRS	1	computer$4 and (error$1 or fault$ or failure) with (detector$1 or sensor$1) and finite adj (state or status) adj description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:31		
29 BRS	8	computer$4 and (error$1 or fault$ or failure) with (detector$1 or sensor$1) with actuator$1 and finite adj (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:32		
30 BRS	23	computer$4 and (error$1 or fault$ or failure) with (detector$1 or sensor$1) with actuator$1 and finite adj (state or status or element$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:32		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
31	BRS	0	714/$.ccls. and computer and finite adj (state or status) with description and sensor$1 with actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:36		
32	BRS	0	714/$.ccls. and computer$4 and finite adj (state or status) with description and sensor$1 with actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:36		
33	BRS	38	computer$4 and (error$1 or fault$ or failure) with (detector$1 or sensor$1) and actuator$1 and finite adj (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:41		
34	BRS	41	computer$4 and (error$1 or fault$ or failure or malfunction$3) with (detector$1 or sensor$1) and actuator$1 and finite adj (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:49		
35	BRS	36	computer$4 and (error$1 or fault$ or failure or malfunction$3) with (detector$1 or sensor$1) and actuator$1 and finite adj (state or status) and compar$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:49		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
BRS	17	computer$4 and (error$1 or fault$ or failure or malfunction$3) with (detector$1 or sensor$1) and actuator$1 and finite adj (state or status) and compar$4 with (threshold or predetermined or reference or preset$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:52		
BRS	65	computer$4 and (error$1 or fault$ or failure or malfunction$3) with (detector$1 or sensor$1) and finite adj (state or status) and compar$4 with (threshold or predetermined or reference or preset$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:52		

Row labels (leftmost, outside Type): 36, 37

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
BRS	48	computer$4 and (error$1 or fault$ or failure or malfunction$3) with (detector$1 or sensor$1) and finite adj (state or status) and compar$4 with (threshold or predetermined or reference or preset$4) not (computer$4 and (error$1 or fault$ or failure or malfunction$3) with (detector$1 or sensor$1) and actuator$1 and finite adj (state or status) and compar$4 with (threshold or predetermined or reference or preset$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:00		
38						

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
39	BRS	0	computer$4 and (error$1 or fault$ or failure or malfunction$3) with (detector$1 or sensor$1) and finite adj (state or status) with description and compar$4 with (threshold or predetermined or reference or preset$4) not (computer$4 and (error$1 or fault$ or failure or malfunction$3) with (detector$1 or sensor$1) and actuator$1 and finite adj (state or status) and compar$4 with (threshold or predetermined or reference or preset$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:53		
40	BRS	16	5671141.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:58		
41	BRS	0	5671141.uref. and finite	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 08:58		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
42	BRS	150	computer$4 and (error$1 or fault$ or failure$1 or malfunction$3) with (detector$1 or sensor$1 or monitor$1) and finite adj (state or status) and (differen$2 or compar$4) with (threshold or predetermined or reference or preset$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:01		
43	BRS	29	computer$4 and (error$1 or fault$ or failure$1 or malfunction$3) with (detector$1 or sensor$1 or monitor$1) and actuator$1 and finite adj (state or status) and (differen$2 or compar$4) with (threshold or predetermined or reference or preset$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 10:23		
44	BRS	3	finite adj (state or status) adj description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:07		
45	BRS	322	finite adj (state or status) with description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:16		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
46	BRS	10	computer$4 and (error$1 or fault$ or failure$1 or malfunction$3) with (detector$1 or sensor$1 or monitor$1) and finite adj (state or status) with description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:10		
47	BRS	14	704/$.ccls. and finite adj (state or status) with description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:12		
48	BRS	3	(finite-state or finite-status or (finite adj (state or status)) adj description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:40		
49	BRS	1	(finite-state or finite-status or (finite adj (state or status)) adj description with sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:41		
50	BRS	1	((finite-state or finite-status or (finite adj (state or status)) near description) with sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:42		
51	BRS	3	(finite-state or finite-status or (finite adj (state or status)) adj description with sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:43		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
52 BRS	2	(finite-state or finite-status or (finite adj (state or status))) with description with (sensor$1 or detector$1 or monitor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:44		
53 BRS	3	(finite-state or finite-status or (finite adj (state or status))) with description and mechanical with (sensor$1 or detector$1 or monitor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:45		
54 BRS	114	(finite-state or finite-status or (finite adj (state or status))) with description and (sensor$1 or detector$1 or monitor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:46		
55 BRS	8	(finite-state or finite-status or (finite adj (state or status))) with description same (sensor$1 or detector$1 or monitor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:45		
56 BRS	9	(finite-state or finite-status or (finite adj (state or status))) with description and (sensor$1 or detector$1 or monitor$1) and actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:46		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
57 BRS	43	computer$4 and (error$1 or fault$ or failure$1 or malfunction$3) with (detector$1 or sensor$1 or monitor$1) and actuator$1 and (finite-state or finite-status or finite adj (state or status)) and compar$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 11:32		
58 BRS	21	computer$4 and (error$1 or fault$ or failure$1 or malfunction$3) with (detector$1 or sensor$1 or monitor$1) and actuator$1 and (finite-state or finite-status or finite adj (state or status)) and compar$4 and engine$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 10:25		
59 BRS	6	computer$4 and (error$1 or fault$ or failure$1 or malfunction$3) with (detector$1 or sensor$1 or monitor$1) and actuator$1 and (finite-state or finite-status or finite adj (state or status))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 11:33		
60 BRS	5491	702/33-36,41,42,43,44,43,105,108,113-115,123,119,182-185,188,189,179,181.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:56		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
61 BRS	1399	702/for.103,for.104,for.12 3-for.126,for.130,for.134- for.136.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:57		
62 BRS	478	706/51-53.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:57		
63 BRS	157	710/34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 10:58		
64 BRS	939	700/109,174,28.31,34,38,10 3,108.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 11:52		
65 BRS	0	computer with error with analysis with sensor$1 with actuator$1 and finite with (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 11:53		
66 BRS	0	computer with error with analysis with sensor$1 with actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 11:53		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
67	BRS	9	computer with error with analysis with sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 11:54		
68	BRS	4	computer with error with analysis with sensor$1 and actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 11:54		
69	BRS	29	computer$4 and (error$1 or fault$ or failure$1 or malfunction$3) with (detector$1 or sensor$1 or monitor$1) and actuator$1 and (finite-state or finite-status or finite adj (state or status)) and (differen$2 or compar$4) with (threshold or predetermined or reference or preset$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 12:07		
70	BRS	329	finite adj (state or status) with description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 12:08		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
71 BRS	5	finite adj (state or status) with description and (error$1 or fault$ or failure$1 or malfunction$3) with (detector$1 or sensor$1 or monitor$1) and actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 12:12		
72 BRS	1	"6213443".PN.	USPAT	2004/02/22 12:11		
73 BRS	1	"5170104".PN.	USPAT	2004/02/22 12:12		
74 BRS	5	finite adj (state or status) with description and (error$1 or fault$ or failure$1 or malfunction$3 or problem$1) with (detector$1 or sensor$1 or monitor$1) and actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 12:16		
75 BRS	1	"5170104".PN.	USPAT	2004/02/22 12:13		
76 BRS	7	5170104.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 12:14		
77 BRS	77	finite adj (state or status) and (error$1 or fault$ or failure$1 or malfunction$3 or problem$1) with (detector$1 or sensor$1 or monitor$1) and actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 12:26		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
78 BRS	3	finite adj (state or status) adj description and (error$1 or fault$ or failure$1 or malfunction$3 or problem$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 12:31		
79 BRS	242	((finite with (state or status)) or finite-state or finite-status) with description and (error$1 or fault$ or failure$1 or malfunction$3 or problem$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 12:32		
80 BRS	6	((finite with (state or status)) or finite-state or finite-status) with description and (error$1 or fault$ or failure$1 or malfunction$3 or problem$1) with (detector$1 or sensor$1 or monitor$1) and actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 12:34		
81 BRS	1	((finite with (state or status)) or finite-state or finite-status) with (error$1 or fault$ or failure$1 or malfunction$3 or problem$1) with (detector$1 or sensor$1 or monitor$1) and actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 12:35		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
82	BRS	119	((finite with(state or status)) or finite-state or finite-status) and (error$1 or fault$ or failure$1 or malfunction$3 or problem$1) with (detector$1 or sensor$1 or monitor$1) and actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 12:35		
83	BRS	15	((finite with(state or status)) or finite-state or finite-status) and (error$1 or fault$ or failure$1 or malfunction$3 or problem$1) with (detector$1 or sensor$1 or monitor$1) with actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 13:52		
84	BRS	1	((finite with(state or status)) or finite-state or finite-status) adj description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 13:59		
85	BRS	4	((finite with(state or status)) or finite-state or finite-status) near description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:21		
86	BRS	4	((finite with(state or status)) or finite-state or finite-status) near descript$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 14:04		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
87 BRS	150	((finite with(state or status)) or finite-state or finite-status) and description adj (status or state$1 or condition$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:25		
88 BRS	121	((finite with(state or status)) or finite-state or finite-status) with machine$1 and description adj (status or state$1 or condition$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:25		
89 BRS	3	((finite with(state or status)) or finite-state or finite-status) with machine$1 and description adj (status or condition$1) and sensor$1 and actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:29		
90 BRS	0	(((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and ((binary adj decision adj diagrams) or (BDD)) and senosr$1 and actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:32		
91 BRS	69	(((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and ((binary adj decision adj diagrams) or (BDD))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:32		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
92	BRS	2	(((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and ((binary adj decision adj diagrams) or (BDD)) and sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:40		
93	BRS	321	(((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:40		
94	BRS	76	(((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) near description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:00		
95	BRS	3	(((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) near description and computer$4 and (error$1 or fault$ or failure$1 or malfunction$3) with (analysis or analyz$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:01		
96	IS&R	2	("5831853").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:52		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
97 BRS	130	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (compar$4 or differen$2) with (error$1 or fault$ or failure$1 or malfunction$3) with (error-free or desired or reference or predetermined or preset$4 or predefined)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:02		
98 BRS	19	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (compar$4 or differen$2) with (error$1 or fault$ or failure$1 or malfunction$3) with (error-free or desired or reference or predetermined or preset$4 or predefined) and sensor$1 and actuat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:02		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
99 BRS	42	(((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (compar$4 or differen$2) with (error$1 or fault$ or failure$1 or malfunction$3) with (error-free or desired or reference or predetermined or preset$4 or predefined) and sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:11		
100 BRS	17	5671141.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:11		
101 BRS	0	5671141.uref. and finite	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:11		
102 BRS	933	(((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (compar$4 or differen$2) with (error$1 or fault$ or failure$1 or malfunction$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:12		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
103 BRS	18	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (compar$4 or differen$2) with (error$1 or fault$ or failure$1 or malfunction$3) with sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:12		
104 BRS	220	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (compar$4 or differen$2) with (error$1 or fault$ or failure$1 or malfunction$3) and sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:12		
105 BRS	90	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (compar$4 or differen$2) with (error$1 or fault$ or failure$1 or malfunction$3) and sensor$1 and actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:13		
106 BRS	0	automat with sensor$1 with actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:04		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
107	BRS	23	automat and sensor$1 with actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:11		
108	BRS	0	(finite adj model$1) with (error$1 or fault$ or failure$1 or malfunction$3) and sensor$1 and actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:12		
109	BRS	212	finite with (error$1 or fault$ or failure$1.or malfunction$3) and sensor$1 and actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:12		
110	BRS	1	finite with (error$1 or fault$ or failure$1 or malfunction$3) with sensor$1 with actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:13		
111	BRS	95	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and sensor$1 with actuator$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:14		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
112 BRS	24	(((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and sensor$1 with actuator$1 and (differen$2 or compar$4) with (error$1 or fault$ or failure$1 or malfunction$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:20		
113 BRS	1	4423594.uref. and finite	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:19		
114 BRS	10	(((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and sensor$1 with actuator$1 with (error$1 or fault$ or IBM_TDB failure$1 or malfunction$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:30		
115 BRS	13	(((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (detector$1 or sensor$1) with actuat$3 with (error$1 or fault$ or failure$1 or malfunction$3 or problems$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:17		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
116 BRS	177	(finite or FSM) and (detector$1 or sensor$1) with actuat$3 with (error$1 or fault$ or failure$1 or malfunction$3 or problems$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:16		
117 BRS	4	FSM and (detector$1 or sensor$1) with actuat$3 with (error$1 or fault$ or failure$1 or malfunction$3 or problems$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:16		
118 BRS	55	(((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and actuat$3 with (error$1 or JPO; DERWENT; fault$ or failure$1 or malfunction$3 or problems$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:05		
119 BRS	321	(((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:30		
120 BRS	76	(((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) near description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:30		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
121 BRS	4	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with (error$1 description with (error$1 or fault$ or failure$1 or malfunction$3 or problems$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:33		
122 BRS	13	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with (specification$1 or description$1) with (error$1 or fault$ or failure$1 or malfunction$3 or problems$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:40		
123 BRS	0	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with (specification$1 or description$1) with vehicle$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:40		
124 BRS	20	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with (specification$1 or description$1) and vehicle$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:58		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
125 BRS	35	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with (specification$1 or description$1) and (motor$1 or vehicle$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:59		
126 BRS	13	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with (specification$1 or description$1) with (error$1 or fault$ or failure$1 or malfunction$3 or problem$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:24		
127 BRS	0	status adj automat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:21		
128 BRS	448	status adj automat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:21		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
129 BRS	12	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with (error$1 or fault$ or failure$1 or malfunction$3 or problems$1) and (state$1 or condition$1 or status) adj automat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:22		
130 BRS	524	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and compar$4 with (error$1 or fault$ or failure$1 or malfunction$3 or problems$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:25		
131 BRS	61	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and compar$4 with measur$3 with (threshold$1 or reference$1 or predetermin$2 or preset$4 or predefine$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:25		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
132 BRS	2	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with (error$1 or fault$ or failure$1 or malfunction$3 or problem$1) and compar$4 with measur$3 with (threshold$1 or reference$1 or predetermin$2 or preset$4 or predefine$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:27		
133 BRS	85	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with (error$1 or fault$ or failure$1 or malfunction$3 or problem$1) and compar$4 with (threshold$1 or reference$1 or predetermin$2 or preset$4 or predefine$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:54		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
134 BRS	33	((((finite adj1 (state or status)) or finite-state) or finite-status) adj machine$1) or FSM) with (error$1 or fault$ or failure$1 or malfunction$3 or problem$1) and ((error$1 near free) or error-free or without adj error$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:03		
135 BRS	5	((((finite adj1 (state or status)) or finite-state) adj machine$1) or FSM) with (error$1 or fault$ or failure$1 or malfunction$3 or problem$1) and compar$4 with expect$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:59		
136 BRS	55	((((finite adj1 (state or status)) or finite-state) adj machine$1) or FSM) and compar$4 with expect$3 with (error$1 or fault$ or failure$1 or malfunction$3 or problem$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:57		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
137 BRS	1	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) near (specification$1 or description$1) and compar$4 with expect$3 with (error$1 or fault$ or failure$1 or malfunction$3 or problems$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:59		
138 BRS	71	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with (error$1 or fault$ or failure$1 or malfunction$3 or problems$1) and compar$4 with (error$1 or fault$ or failure$1 or malfunction$3 or problems$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:59		
139 BRS	2	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with ((error$1 near free) or error-free or without adj error$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:05		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition on
140 BRS	9	(((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with ((error$1 near free) or error-free or without adj error$1 or no adj error$1 or no-error$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:03		
141 BRS	15	(((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and safe$2 adj (sate$1 or status or conditio$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:07		
142 BRS	0	(((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and actuat$3 with (error$1 or fault$ or failure$1 or malfunction$3 or problems$1) and safe$2 adj (sate$1 or status or conditio$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:05		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
143 BRS	0	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) with (error$1 or fault$ or failure$1 or malfunction$3 or problems$1) and safe$2 adj (sate$1 or status or conditio$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:08		
144 BRS	13	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (error$1 or fault$ or failure$1 or malfunction$3 or problems$1) and safe$2 adj (sate$1 or status or conditio$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:05		
145 BRS	15	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and safe$2 near (sate$1 or status or conditio$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:07		
146 BRS	142	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and safe$2 with (state$1 or status or conditio$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:08		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
147 BRS	41	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (error$1 or fault$ or failure$1 or malfunction$3 or problems$1) and safe$2 adj (state$1 or status or conditio$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:09		
148 BRS	43	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) and safe$2 adj (state$1 or status or conditio$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:30		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
149 BRS	2	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (compar$4 or differen$2) with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) with (desired safe$2 or no-error$1 or without-error$1 or error-free or (error$1 adj free) or (without adj state$1 error$1)) with (state$1 or status or conditio$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:34		
150 BRS	13	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (compar$4 or differen$2) with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) with (desired safe$2 or no-error$1 or without-error$1 or error-free or (error$1 adj free) or (without adj error$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:22		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
151 IS&R	2	("5831853").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:57		
152 BRS	122	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) near (description$1 or specification$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:23		
153 BRS	19	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) near (description$1 or specification$1) and (analysis or analyz$3) with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:59		
154 BRS	263	binary adj decision adj diagram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 14:15		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
155 BRS	35	(((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and binary adj decision adj diagram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 15:10		
156 BRS	40	(((((finite adj1 (state or status)) or finite-state or finite-status) or FSM) and binary adj decision adj diagram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 15:11		
157 BRS	7	(((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) near (description$1 or specification$1) with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:57		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
158 BRS	8	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (analysis or analyz$3) with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) with probabilit$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:11		
159 BRS	259	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) with probabilit$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:02		
160 BRS	77	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) adj probabilit$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:02		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
161 BRS	0	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (analysis or analyz$3) with all with possible with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:11		
162 BRS	0	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (analysis or analyz$3) with all with possible with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) with sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:12		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
163 BRS	0	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (analysis or analyz$3) with possible with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) with sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:12		
164 BRS	0	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (analysis or analyz$3) with all with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) with sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:12		
165 BRS	7	((((finite adj1 (state or status)) or finite-state or finite-status) adj machine$1) or FSM) and (analysis or analyz$3) with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) with sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:14		

02/25/2004, EAST Version: 1.4.1

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
166	BRS	8	((finite adj1 (state or status)) or finite-status or finite-status or FSM) and (analysis or analyz$3) with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) with sensor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:17		
167	BRS	0	((finite adj1 (state or status)) or finite-state or finite-status or FSM) and (analysis or analyz$3) with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) with posible	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:17		
168	BRS	0	((finite adj1 (state or status)) or finite-state or finite-status or FSM) and (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) with posible	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:17		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
169 BRS	20	((finite adj1 (state or status)) or finite-status or finite-state or finite-status or FSM) and (analysis or analyz$3) with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) with possible	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:23		
170 BRS	192	((finite adj1 (state or status)) or finite-state or finite-status or FSM) and (analysis or analyz$3) with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) and possible with state$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:23		
171 BRS	6	((finite adj1 (state or status)) or finite-state or finite-status or FSM) and (analysis or analyz$3) with (undesired or unexpected or error$1 or fault$ or failure$1 or fail$3 or malfunction$3 or problems$1) with sensor$1 and possible with state$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:26		